


MODEL RANGE

NEW FH Battery Electric 8x2 Rigid Pusher and Tag Tridem FH 82RPTE



Chassis Dimensions [mm]

WB Wheelbase	5600
A Overall Chassis Length	10460
D Center of rear axle to front of body	4673
N Rear Overhang (Min.)	825
N Rear Overhang (Max.)	2125
T Theoretical Wheelbase	5614
Y Center of Gravity for Payload (Min.)	256
Y Center of Gravity for Payload (Max.)	256

Chassis Weights [kg]

Front Axle	7015
Rear Bogie	4370
Kerb Weight	11385
Payload (including body, driver, fuel, etc.)	20615

Turning Diameter [mm]

Turning Circle Diameter Kerb to Kerb	21700
Turning Circle Diameter Wall to Wall	23100

Plated Weights [kg]

	Plated	Design
Gross Vehicle Weight	32000	35000
Gross Combination Weight	44000	44000
Front Axle	8000	8000
Rear Bogie	24000	27000

Important Notes

Chassis Dimensions

Cab Height: +375 mm for CAB-HSLP, -203 mm for CAB-LSLP, +517 mm for CAB-XHSL.

D-measure includes a front clearance of 50 mm and for rigid trucks also a subframe of 100 mm.

Height can vary ± 20 mm for leaf and ± 10 mm for air suspension.

All dimensions are for unladen chassis and any tag axles down. Chassis height used: CHH-MED.

Height change when chassis height CHH-HIGH: 0 mm.

Weight and dimensions are based upon the following tyres:

Front Axle Tyres:	315/80R22.5
Drive Axle Tyres:	315/80R22.5
Trailing/Pusher Axle Tyres:	315/80R22.5

Chassis weight includes oil, water, AdBlue, 0 litres fuel and without driver. Kerb weight can vary ± 10%.

Turning diameters are theoretically calculated. Tag axle used: TA-FIXED.

Legal weights can differ from country to country.

For more detailed weight information, including optional equipment weights, ask your Volvo sales contact to enter your specification into the Volvo Weight Information system (WIS).

Do NOT use this drawing for bodybuilding. Refer to Volvo Bodybuilder Instructions and chassis assembly drawing FH82RPTE.

MODEL RANGE

NEW FH Battery Electric 8x2 Rigid Pusher and Tag Tridem FH 82RPTE

TRUCK USE

- **RC-SMOOT** Road Conditions - Smooth
- **TIPP-PRE** Transport Adaption - Tipper vehicle preparation
- **UNIFORM** Transport Adaption - Basic platform vehicle

CORE COMPONENTS

- **CHH-HIGH** Chassis Height - High - for loading heights check the unique BEP chassis drawing attached to this quote
- **CHH-MED** Chassis Height - Medium - for loading heights check the unique BEP chassis drawing attached to this quote
- **PT-TFID2** Pusher-tag tridem - Electro hydraulic steered pusher with fixed tag/dual wheel mounting
- **RAPDT-GR** Rear air suspension, 3 axles - 1 pusher/1 driven/1 tag
- **FHE-HSLP** Cab - Globetrotter - all-steel safety cage design with a roof-mounted emergency escape hatch. Designed and built to Swedish impact and ECE R29 regulations
- **FHE-LSLP** Cab - Low sleeper - with steel safety cage design. Designed and built to Swedish impact and ECE R29 regulations
- **FHE-SLP** Cab - Sleeper - all-steel safety cage design with a roof-mounted emergency escape hatch. Designed and built to Swedish impact and ECE R29 regulations
- **FHE-XHSL** Cab - Globetrotter XL - all-steel safety cage design with a roof-mounted emergency escape hatch. Designed and built to Swedish impact and ECE R29 regulations
- **EPT2412** Gearbox - I-shift Automated 12-speed - suitable for gross train weights up to 44tonne
- **NEM3** Electric Motors - 3 - Output 490 kW – 666hp continuous power
- **RSS1344C** Drive Axle - RS1344C single reduction with differential lock - design GCW 44 tonne
- **RSS1344E** Drive Axle - RSS1344E single reduction with differential lock - design GCW 44 tonne
- **RSS1370A** Drive Axle - RSS1370A single reduction 13 tonne with differential lock - design GCW 70 tonne

PACKAGES

- **INFONDF** Media Information Platform with Navigation & Volvo Connect "On board" Support
- **DRIV-E** Cab Package - Drive
- **DRIV-E+** Cab Package - Drive +
- **DRIV-E++** Cab Package - Drive ++
- **1LIV-E** Sleep & Resting Package - Living one-bed
- **1LIV-E+** Sleep & Resting Package - Living one-bed +
- **1LIV-E++** Sleep & Resting Package - Living one-bed ++
- **2LIV-E** Sleep & Resting Package - Living two-bed
- **2LIV-E+** Sleep & Resting Package - Living two-bed +
- **2LIV-E++** Sleep & Resting Package - Living two-bed ++
- **SAFE-E** Active safety package
- **SAFE-E+** Active safety package +
- **RANGOPT5** Range Optimisation Package - 5 years prepaid subscription

CHASSIS

- **FST-AIR** Front suspension type - Air
- **FSLs-BAS** Front suspension levelling - basic stroke
- **FSLs-HI** Front suspension levelling - high stroke for demount operations - check with bodybuilder
- **FAL10.0** Front axle design capacity - 10 tonne - check tyre capacity
- **FAL9.0** Front axle design capacity - 9.0 tonne - check tyre capacity
- **FSTAB** Front anti-roll bar - Normal stiffness
- **FSTAB2** Front anti-roll bar - Medium stiffness
- **FSTAB3** Front anti-roll bar - High stiffness
- **RAL27** Rear bogie design capacity - 27 tonne
- **RAL30** Rear Bogie Design Capacity - 30 tonne

- **RAL30.5** Rear Bogie Design Capacity - 30.5 tonne
- **RAL31.5** Rear Bogie Design Capacity - 31.5 tonne
- **RAL32**
- **RALIM105** Rear-axle load limiter - 10.5 tonne - speed controlled
- **RALIM115** Rear-axle load limiter - 11.5 tonne - speed controlled
- **RALIM13** Rear-axle load limiter - 13 tonne
- **ACTST-TO** Active Steering- Volvo Dynamic Steering - VDS - with extra electronic pump and torque overlay
- **ASFE-BAS** Active steering feature - Basic - Volvo Dynamic Steering - VDS - only
- **ASFE-OG** Active steering feature - Volvo Dynamic Steering - VDS - with stability assist - oversteer
- **ASFE-PO** Active steering feature - Volvo Dynamic Steering - VDS - with personal settings and stability assist
- **ASFE-PS** Active steering feature - Volvo Dynamic Steering - VDS - with personal settings
- **RST-AIR** Rear suspension type - Air
- **FRAME300** Chassis frame section external height - 300 mm
- **FST8080** Chassis frame thickness - 8 mm web and flange
- **FIL-EEEB** Chassis frame inner liner - From the end of the engine to the end of the bogie
- **FIL-EEEF** Chassis frame inner liner - From the end of the engine to end of the frame
- **FIL-TXEB** Chassis frame inner liner - From gearbox member to the end of the bogie
- **FIL-TXEF** Chassis frame inner liner - From gearbox member to the end of the frame
- **BATTAMP** Battery management - Voltage and current gauge
- **BATTIND** Battery management - Voltage, current and charge indicators
- **WHC-FIX2** Wheel chocks - Two fixed design
- **WHC-FOL2** Two foldable wheel chocks
- **WHCP-M** Wheel chock carrier position - Middle part of the vehicle
- **WHCP-R** Wheel chock carrier position - In the rear part of the vehicle
- **WHCP-T** Wheel chock carrier position - Outer luggage locker
- **SUP-BAS** Side guards - Check with bodybuilder chassis space requirements
- **CHAIN-S** Snow chains
- **HOOK-SC** Snow chain hooks
- **TOWF-NO1** Front towing device - One detachable - stored in cab
- **TOWF-NO2** Front towing device - Two detachable - stored in cab
- **TOWMBRH** Towing member, high mounted in centre of frame, D = 190
- **TOWMBRL1** Towing member, low mounted under the frame
- **TOWMBRM** Towing member, medium mounted in line with frame lower flange
- **RFEC-S** Rear frame profile - Straight cut
- **RFEC-U** Rear frame profile - Slight uppercut for tippers
- **C-RI4040** Towing coupling, Ringfeder 4040A
- **C-RI5050** Towing coupling, Ringfeder 5050A
- **C-RO400G** Towing coupling, Rockinger 400 G-150 for 40mm eyes
- **C-RO50** Rockinger RO 50 50mm for centre axle trailer
- **C-VBG520** VBG 5200D-3 coupling (Not suitable for centre axle trailers) Contact VBG on 01925 234111 to validate the coupling rating for the application
- **C-VBG795** VBG 795V-3 coupling (centre axle trailer)
- **TOWR-ONE** Towing hitch attached to rear crossmember
- **TREL-PK** Trailer electrical preparation kit - chassis/cab wiring
- **TREL14** Single 14 pole electrical trailer connector
- **TREL15** Trailer electrical connection - Single 15 pin - ADR certified
- **TREL7-7** Trailer electrical connection - 2 x 7 pin - 24N and 24S
- **TBC-DUO** Trailer brake connections - Duomatic type
- **TBC-EC** Trailer brake connections - EC palm coupling connectors
- **TRBR-HCF** Full pressure hand controlled trailer brake
- **TRBR-STA** Stationary trailer brake control

■ Standard Equipment □ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

MODEL RANGE

NEW FH Battery Electric 8x2 Rigid Pusher and Tag Tridem FH 82RPTE

<input type="checkbox"/> TRB-STRE	Stretch Brake - Automatic low speed trailer brake activation to avoid jack-knifing and improve steerability	<input type="checkbox"/> PTR-DH	Gearbox driven high speed PTO for one plug-in hydraulic pump
<input type="checkbox"/> RFEND-B	Rear mud wings - Three piece EC approved and spray flaps	<input type="checkbox"/> PTR-DM	Gearbox driven medium speed PTO for one plug-in hydraulic pump
<input type="checkbox"/> RFEND-T	Rear mud wings - Temporary on drive axle for transport delivery only	<input type="checkbox"/> PTR-F	Gearbox driven PTO with rear flange connection
<input type="checkbox"/> RFH-BAS	Basic rear wing height	<input type="checkbox"/> PTR-FH	Gearbox driven high speed PTO with SAE drive flange
<input type="checkbox"/> RFH-HIG	High rear wing height - higher wing tops	<input type="checkbox"/> PTR-FL	Gearbox driven low speed PTO with SAE drive flange
<input type="checkbox"/> RFH-LOW	Lower rear wing height - shallower wing tops	<input type="checkbox"/> PTRD-D	Gearbox driven HIGH SPEED PTO for two plug-in hydraulic pumps
<input checked="" type="checkbox"/> BLIGHT-E	Emergency brake light	<input type="checkbox"/> PTRD-D1	PTRD-D1 Gearbox driven HIGH SPEED PTO (1 SAE flange & 1 plug-in hydraulic pump)
WHEELS & TYRES		<input type="checkbox"/> PTRD-D2	Gearbox driven HIGH SPEED PTO (2 SAE flanges & 1 plug-in hyd pump)
<input checked="" type="checkbox"/> RT-AL	Wheels - Alcoa brushed aluminium rims - standard holes for long stud fixing	<input type="checkbox"/> PTRD-F	PTO with 1 DIN + 1 flange connection rear, manual gearbox
<input type="checkbox"/> RT-ALDP	Wheels - Alcoa Dura-Bright aluminium rims - standard holes for long stud fixing	<input type="checkbox"/> HPG-F101	Parker F1-101 gearbox mounted, fixed displacement, single flow, hydraulic pump
<input type="checkbox"/> RT-ALDPD	Wheels - Alcoa Dura-Bright EVO aluminium rims - countersunk holes for short stud fixing	<input type="checkbox"/> HPG-F41	Parker F1-41 gearbox mounted, fixed displacement, single flow, hydraulic pump
<input type="checkbox"/> RT-ALDU	Wheels - Alcoa brushed aluminium rims - countersunk holes for short stud fixing	<input type="checkbox"/> HPG-F51	Parker F1-51 gearbox mounted, fixed displacement, single flow, hydraulic pump
<input type="checkbox"/> RT-STEEL	Wheels - Steel rims	<input type="checkbox"/> HPG-F61	Parker F1-61 gearbox mounted, fixed displacement, single flow, hydraulic pump
<input type="checkbox"/> SPWT-D	Spare wheel & tyre with rear tyre pattern	<input type="checkbox"/> HPG-F81	Parker F1-81 gearbox mounted, fixed displacement, single flow, hydraulic pump
<input type="checkbox"/> SPWT-F	Spare wheel & tyre with front tyre pattern	<input checked="" type="checkbox"/> CRUIS-E	Eco cruise control (with eco-roll and l-cruise, controls in steering wheel)
<input type="checkbox"/> SWCP-R	Rear mounted spare wheel carrier	<input checked="" type="checkbox"/> STWPOS-R	Steering wheel position - RIGHT-HAND DRIVE
<input type="checkbox"/> SWCP-T	Spare wheel supplied temporarily strapped to chassis	<input type="checkbox"/> STWM-LE	Steering wheel - Leather rim
<input type="checkbox"/> SWCP-TP	Temporary spare wheel carrier on top of chassis frame	<input checked="" type="checkbox"/> STGW-AD2	Steering wheel adjustment - Neck tilt, column height and angle
<input type="checkbox"/> JACK-12T	12 tonne bottle jack	<input type="checkbox"/> ARSL	Additional road speed limit - switch in dashboard
<input type="checkbox"/> JACK-15T		<input checked="" type="checkbox"/> ESP-BAS1	Electronic Stability Control ESC
<input type="checkbox"/> JACK-20T		<input type="checkbox"/> ESPC-RO	Additional ESC functions - Reduced / Off
<input checked="" type="checkbox"/> TOOL-BAS	Basic Toolkit	<input checked="" type="checkbox"/> HWSS-AC	Adaptive cruise control with forward collision warning
<input type="checkbox"/> TOOLKIT	Complete tool kit	<input type="checkbox"/> HWSS-ACB	Adaptive cruise control ACC with forward collision warning and AEBs advanced emergency brake system
<input type="checkbox"/> INFLAHOS	Tyre inflation hose	<input checked="" type="checkbox"/> LSS-DW	Lane departure-warning system
<input type="checkbox"/> GAUGE-TP	Tyre pressure gauge	<input checked="" type="checkbox"/> LCS4	Side Collision Avoidance Support - passenger and driver side
DRIVELINE EQUIPMENT		<input type="checkbox"/> DAS-W	Driver Alert Support system
<input checked="" type="checkbox"/> DRM-BE	Drive Mode - Balanced & Economy	<input type="checkbox"/> RSENS-W	Rain sensing windscreen wipers
<input checked="" type="checkbox"/> PVT-MAP	I-See Predictive Cruise Control - using map based topography information	<input checked="" type="checkbox"/> CU-ECC	Cab Climate Unit - Electrically controlled air conditioning with sun sensor
<input type="checkbox"/> EP400A	Electric Power Outlet Voltage - 400V AC	<input type="checkbox"/> CU-ECC2	Cab Climate Unit - Electrically controlled air conditioning with a carbon filter, sun, mist, and air quality sensor
<input type="checkbox"/> EPTC270	Electro-mechanical Power Take Off - Output 270 Nm - transport located on top of chassis behind cab	<input checked="" type="checkbox"/> IMMOBIL	Thatcham H2 approved immobiliser
<input type="checkbox"/> HPM-F101	Hydraulic pump - F1-101 for electrical motor, fixed displacement pump	<input type="checkbox"/> ALARM-E	Enhanced vehicle alarm - Thatcham H1 approved - Cab plus external sensor for body/trailer
<input type="checkbox"/> HPM-F41	Hydraulic pump - F1-41 for electrical motor, fixed displacement pump	<input type="checkbox"/> AMPL400	Radio amplifier, 8 channel, 400 W with subwoofer Located in right hand external storage box
<input type="checkbox"/> HPM-F51	Hydraulic pump - F1-51 for electrical motor, fixed displacement pump	<input checked="" type="checkbox"/> BUPMON	Back up monitor - Digital reverse camera, parameter & lead supplied loose in cab.
<input type="checkbox"/> HPM-F61	Hydraulic pump - F1-61 for electrical motor, fixed displacement pump	<input type="checkbox"/> ISUNS-BS	Side sun visor - Driver & passenger side
<input type="checkbox"/> HPM-F81	Hydraulic pump - F1-81 for electrical motor, fixed displacement pump	<input checked="" type="checkbox"/> ISUNS-DS	Side sun visor - Driver-side
<input type="checkbox"/> HPM-T42	Hydraulic pump - F2-42/42 for electrical motor, twin flow displacement pump	<input type="checkbox"/> ISUNF-RE	Electrically operated textile interior sun blind
<input type="checkbox"/> HPM-T53	Hydraulic pump - F2-53/53 for electrical motor, twin flow displacement pump	<input checked="" type="checkbox"/> ISUNF-RM	Manually operated textile interior sun blind
<input type="checkbox"/> HPM-T55	Hydraulic pump - F2-55/28 for electrical motor, twin flow displacement pump	<input checked="" type="checkbox"/> CSPL-BX	Lower center dash open storage box
<input type="checkbox"/> HPM-T70	Hydraulic pump - F2-70/35 for electrical motor, twin flow displacement pump	<input type="checkbox"/> CSPL-BXD	Lower centre dash drawer
<input type="checkbox"/> HPM-V130	Hydraulic pump - VP1-130 for electrical motor, variable displacement pump.	<input type="checkbox"/> ADFS	Two extra DIN slots in front shelf - can be fitted with card or drawer available as an accessory
<input type="checkbox"/> HPM-V45	Hydraulic pump - VP1-45 for electrical motor, variable displacement pump.	<input checked="" type="checkbox"/> BUPALARM	Reverse alarm
<input type="checkbox"/> HPM-V75	Hydraulic pump - VP1-75 for electrical motor, variable displacement pump.	<input type="checkbox"/> RTOLL-PK	Road toll PREPARATION kit for trucks operating with "Toll Collect" in Germany
<input type="checkbox"/> HPM-V95	Hydraulic pump - VP1-95 for electrical motor, variable displacement pump.		
<input type="checkbox"/> PTR-D	Gearbox PTO for plug-in pump, 0.71xeng speed		

Standard Equipment

Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

MODEL RANGE

NEW FH Battery Electric 8x2 Rigid Pusher and Tag Tridem FH 82RPTE

<ul style="list-style-type: none"> ■ LOADIND Load indicator with central dashboard display □ REMC-MF Multi-functio wireless remote control ■ FIREXT3S Fire extinguisher - 3kg mounted on the seat base □ WARNVEST High visibility warning vest - no sleeves ■ WARNTRI2 Roadside hazard warning triangle □ AIDKIT First aid kit - Legal demand for EU markets including delivery to EU bodybuilder □ AIDKIT1B First aid kit - Legal demand for trucks transiting Germany □ WARNLAMP Portable warning lamp □ LAMP-IN Inspection lamp □ BULBKIT Bulb and fuse kit □ WRITEPAD Writing pad ■ DST-CF4 Driver seat - Suspended, adjustable shock absorber, travel, backrest & lumbar controls with integrated seatbelt □ DST-CF5 Driver seat - Suspended with adjustable shock absorber, travel, backrest, lumbar & heat controls with integrated seatbelt □ DST-CF6 Driver seat - Suspended with adjustable shock absorber, travel, backrest, lumbar, heat and ventilation controls with integrated seatbelt □ DST-LUX1 Driver seat - Deluxe 1: electrical adjustment with memory function, lumbar support, heating & ventilation with integrated seatbelt □ DST-LUX2 Driver seat - Deluxe 2: electrical adjustment with memory function, lumbar support & heating with integrated seatbelt □ SBD-RED Seat belt colour - Red □ PST-BAS1 Passenger seat - Fixed non suspended fold up with seatbelt mounted on cab "B" post □ PST-CF4 Passenger seat - Suspended, adjustable shock absorber, travel, backrest & lumbar controls with integrated seatbelt □ PST-CF5 Passenger seat - Suspended with adjustable shock absorber, travel, backrest, lumbar & heat controls with integrated seatbelt □ PST-RX1 Passenger seat - Fixed non suspended, features: 90-degree rotation and tilt function with seatbelt mounted on cab "B" post ■ PST-STD2 Passenger seat - Fixed with backrest adjustment, non suspended with seatbelt mounted on cab "B" post □ PST-STD4 Passenger seat - Standard suspended with seatbelt mounted on cab "B" post □ SBPRE-PS Passenger seat belt pretensioner □ ARMRE-BB Armrests - Two on both driver & passenger seats □ ARMRE-DB Armrests - Two on the driver seat □ ARMRE-PB Armrests - Two on the passenger seat □ ARU-BAS Armrest upholstery - Vinyl □ ARU-LEA Armrest upholstery - Leather ■ GRABHI-B Instep cab grab handle - Steel finish □ GRABHI-L Instep cab grab handle - Leather finish ■ FMAT-RUB Footwell floor mats - Rubber □ FMAT-TX2 Footwell floor mats - Two sets, Rubber and textile with an embossed pile supplied in the cab ■ LBK80F Lower fixed bunk with wide middle section 815 in the centre x 2000 mm □ LBK80FRE Lower electrically operated recline bunk with wide middle section 815 in the centre x 2000 mm □ LBK80FRM Lower manually operated recline bunk with wide middle section 815 in the centre x 2000 mm □ MATL-FI Firm lower bunk pocket sprung mattress □ MATL-FI4 Lower mattress - Firm, memory foam, 2000x700x130 mm ■ MATL-SF Lower mattress - Flexi-zone semi-firm, pocket springs up to 100kg - 16 stone □ OLMAT-BA Mattress overlay protector - 35mm thick □ OLMAT-PR Mattress overlay protector - Premium 50mm thick □ TBK60AD Top bunk - Height adjustable foldable 600 x 1900mm □ TBK60F Top bunk - Fixed foldable 600 x 1900mm □ TBK70AD Top bunk - Height adjustable foldable 700 x 1900mm □ TBK70F Top bunk - Fixed foldable 700 x 1900mm 	<ul style="list-style-type: none"> ■ SLCP-BAS Sleeper control panel - Basic with switches for interior light, night heater, roof hatch and door lock □ SLCP-LUX Sleeper control panel - Luxury with switches for interior light, night heater, roof hatch, door lock, alarm clock, window and radio □ SAFE Driver's safe box - for personal items □ RUS-BAS Rear cab upper storage - 300 mm high □ RUS-HIG Rear cab upper storage - 440 mm high - volume 245 litres □ TABLE Bunk table - Folding and height adjustable fitted on lower bunk □ REFR-RUS Fridge - 28 litre rear upper wall mounted with dividers □ REFRIG Fridge - 33 litre under-bunk mounted with freezer dividers □ MICRO-PK Wiring preparation kit for microwave oven ■ BOTH-D Bottle holder - One under dashboard centre section □ BOTH-DL Bottle holders - Two. One under dashboard centre section and one mounted to the under bunk drawer □ BOTH-L Bottle holder - One mounted to the under bunk drawer □ COFMA-PK Coffee maker - Preparation kit. ■ INLI-BAS Interior light - White LEDs □ INLI-NL Interior light - White and red nightlight LEDs without dimmer □ INLI-NLD Interior light - White and red nightlight LEDs with dimmer □ ARL-FLEX Flexible reading lamps - Two "snake" type ■ RH-EE Fixed tinted glass sky window with emergency exit □ RH-ER Steel roof hatch - Electrically operated, rear opening with emergency exit □ RH-ETR Tinted glass roof hatch - Electrically operated, rear opening with emergency exit □ RH-MTR Tinted glass roof hatch - Manually operated, rear opening with emergency exit ■ GLAS-TIN Cab windows - Tinted □ SWIND-BS Cab side window - On both sides behind 'B' post □ AS-FUS Extra shelf in front compartments □ INFOT-PK Preparation kit for the mounting of a flat screen TV in cab above the driver's door, includes bracket, electrical and speaker connections
<h3>CAB EXTERIOR</h3>	
<ul style="list-style-type: none"> ■ EXTL-EN2 Enhanced complete painted finish - Satin Volvo badges. Main grille, instep, door handles, mirror housing, and bumper in cab colour. Aluminium step inserts. Sunvisor and bumper spoiler in cab colour if specified. □ LOCK-CTL Door locks - Central locking with key □ LOCK-REM Door locks - Remote central locking ■ BUMP-B Plastic front bumper □ BUMP-B2 Front bumper - Steel ■ BUMP-SP Front bumper spoiler □ CTILTPE Electrically operated hydraulic cab tilt ■ CTILTP-M Manually operated hydraulic cab tilt □ FCABS-A Front cab suspension - Air ■ FCABS-M Front cab suspension - Mechanical spring □ RCABS-A Rear cab suspension - Air ■ RCABS-M Rear cab suspension - Mechanical spring □ HCC-EXT Exterior hood catch - manually operated from the front of the vehicle ■ HCC-INEX Exterior hood lock - Activated by door lock remote ■ MIRCFPCS Mirrors - Electrically heated and operated main and wide-angle with manually adjusted kerb view mirror on the passenger side and position camera in nearside mirror arm. ■ AMIR-F20 Auxiliary front view mirror with a 200mm radius □ SUNV-H External smoke grey sunvisor □ AD-ROOF Cab roof deflector - Adjustable 	

■ Standard Equipment □ Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

MODEL RANGE

NEW FH Battery Electric 8x2 Rigid Pusher and Tag Tridem FH 82RPTE

<ul style="list-style-type: none"> <input type="checkbox"/> AD-SIDES Cab side deflector - Short extension panels <input type="checkbox"/> ADCF-F Additional black edging on chassis side skirt <input type="checkbox"/> HLP-ST Headlamp protection <input checked="" type="checkbox"/> DRL-LED V-shaped daytime running lights <input type="checkbox"/> DRIVL2 Two spot lamps <input checked="" type="checkbox"/> UDRIVL Auxiliary driving lights - Without <input checked="" type="checkbox"/> FOGL-WC Front fog lights <input checked="" type="checkbox"/> CL-STAT Static corner lights <input type="checkbox"/> ASL-RF2 Two Hella H11 70W spotlamps in sign box <input type="checkbox"/> BEACOA2F Roof beacons - Two front roof mounted amber LED <input type="checkbox"/> BEACOA2R Roof beacons - Two rear roof mounted amber LED <input type="checkbox"/> BEACON-P Roof beacons - switch and wiring preparation only <input type="checkbox"/> BEACONA4 Roof beacons - Four amber LED - two front/ two rear <input type="checkbox"/> CABPT-R1 Single outlet for roof mounted accessories <input checked="" type="checkbox"/> CABPT-R2 Twin outlets for roof mounted accessories. <input type="checkbox"/> SPOTP-F Spotlamp preparation in front, max 280W <input type="checkbox"/> SPOTP-R Spotlamp preparation on roof, max 280W <input type="checkbox"/> SPOTP-RF Spotlamp preparation on cab roof and in cab front, max 2x280W <input type="checkbox"/> ROS-IL Globetrotter roof sign illuminated <input type="checkbox"/> ROS-IL2 Preparation kit for illuminated roof sign with switch loose in cab, fit after registration <input type="checkbox"/> ROS-ILP Roof sign illumination preparation kit <input type="checkbox"/> CSGN-GTR "Globetrotter" headboard logo <input checked="" type="checkbox"/> HORN-F1S Horn - Air single tone - chassis mounted <input type="checkbox"/> HORN-R2S Horn - Air - Two roof-mounted <input type="checkbox"/> ANT-CBR Roof mounted antenna for CB radio, single aerial. Only Globetrotter cabs brings in extra DIN slots. <input type="checkbox"/> ACCB-R-AP Front, middle & rear roof mounted accessory brackets <input type="checkbox"/> ACCB-R-F Front roof mounted accessory bracket <input type="checkbox"/> ACCB-R-FM Front & middle roof mounted accessory brackets <input type="checkbox"/> ACCB-R-FR Front & rear roof mounted accessory brackets <input type="checkbox"/> ACCB-R-M Middle roof mounted accessory bracket <input type="checkbox"/> ACCB-R-R Rear roof mounted accessory bracket <input type="checkbox"/> ACCB-R-RM Rear & middle roof mounted accessory brackets <input type="checkbox"/> STUC-B Left and right storage compartments under cab <input type="checkbox"/> STUC-L Left storage compartment under cab <input type="checkbox"/> STUC-R Right storage compartment under cab <input type="checkbox"/> REFS-TW White cab conspicuity markings by packed in cab <input type="checkbox"/> REFS-TY Yellow cab conspicuity markings by packed in cab 	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> ECBB-HIG Body builder electrical centre with body builder module <input checked="" type="checkbox"/> BBCHAS1 One 7-pole connector for Body builder interface <input type="checkbox"/> BBCHAS3 Three 7-pole connectors for Body builder interface <input type="checkbox"/> BEPR-T2 Body builder electrical software preparation for tipper with remote control <input type="checkbox"/> EXSTER External steering control - Volvo dynamic steering and bodybuilder module prepared for external control system, installed and computer by bodybuilder <input type="checkbox"/> TD-BAS Trailer detection WITHOUT LED sensing <input type="checkbox"/> TD-LED Trailer detection with LED sensing <input type="checkbox"/> FBA-BTF Lower front body attachments for torsionally flexible - platform body <input type="checkbox"/> FBA-BTSF Lower front body attachments for torsionally semi-flexible body - box or curtainsider <input type="checkbox"/> HBA-FSFB Holes for body attachments - flexible/semi-flexible body <input type="checkbox"/> HBA-SB Holes for body attachments - stiff body <input type="checkbox"/> RBA-T2 Lower rear body attachments for helper frame <input type="checkbox"/> CRANEPK1 Crane plates mounted to frame, for cranes up to 10 tonne metre capacity <input type="checkbox"/> CRANEPK2 Crane plates mounted to frame, for cranes up to 20 tonne metre capacity <input type="checkbox"/> CRANEPK4 Crane plates mounted to frame, for cranes up to 40 tonne metre capacity <input type="checkbox"/> AUXL-SPK Electrical preparation kit - wiring and switch for snow plough lights <input type="checkbox"/> TAILPRE2 Tail lift preparation kit, wireless remote operation <input type="checkbox"/> TAILPREP Taillift preparation kit - cab switch and warning in driver display <input type="checkbox"/> AESW2 Two Body builder bistable electrical switches (marked AUX1 / AUX2) <input type="checkbox"/> AESW2PK 2 Body builder bistable el.switches (marked AUX1/AUX2) and prep. for 4 more switches <input type="checkbox"/> AUXSW-4 Wiring for 4 extra switches (from Body builder electrical centre to switch positions)
---	--

DELIVERY SERVICES

<ul style="list-style-type: none"> <input type="checkbox"/> FMS-PK Fleet Management System gateway - required for aftermarket telematics <input type="checkbox"/> DRUT1 Driver utility app - "My Truck" - 1 year subscription For mobile phone, tablet, with android and IOS systems. Only available with Volvo Connect subscription <input type="checkbox"/> DRUT2 Driver utility app - "My Truck" - 2 year subscription For mobile phone, tablet, with android and IOS systems. Only available with Volvo Connect subscription <input type="checkbox"/> DRUT3 Driver utility app - "My Truck" - 3 year subscription For mobile phone, tablet, with android and IOS systems. Only available with Volvo Connect subscription <input type="checkbox"/> DRUT4 Driver utility app - "My Truck" - 4 year subscription For mobile phone, tablet, with android and IOS systems. Only available with Volvo Connect subscription <input type="checkbox"/> DRUT5 Driver utility app - "My Truck" - 5 year subscription For mobile phone, tablet, with android and IOS systems. Only available with Volvo Connect subscription
--

SUPERSTRUCTURE PREPARATIONS

<ul style="list-style-type: none"> <input type="checkbox"/> SRWL-2RW Chassis-mounted working lamps - Two white rear-mounted LED lamps and 3 position switch <input type="checkbox"/> SRWL-PK Chassis-mounted working lamps - Side work and reverse lamp preparation and 3 position switch - Max load 280W <input type="checkbox"/> SWL-2FW Chassis-mounted working lamps - Two white front-mounted LED lamps <input type="checkbox"/> SWL-2RW Chassis-mounted working lamps - Two white rear-mounted LED lamps <input type="checkbox"/> SWL-4W Chassis-mounted working lamps - Four white front and rear-mounted LED lamps <input type="checkbox"/> SWL-PK Chassis-mounted working lamps - Side work lamp preparation and 2 position switch - Max load 280W <input type="checkbox"/> WLC-H2A Two H3/70W working lamps with amber coloured lens high mounted back of cab <input type="checkbox"/> WLC-H2W Two H3/70W white working lamps high mounted on the back of cab <input type="checkbox"/> WLC-PKCH Working lamp back of cab - Preparation kit - cables and switch <input type="checkbox"/> WLC-PKH Preparation kit, cables and switch for high mounted working lamps back of cab <input type="checkbox"/> WLC-PKL Preparation kit, cables and switch for low mounted working lamps back of cab <input type="checkbox"/> WLC-PKLH Preparation kit - cables and switch for low and high mounted working lamps back of cab.

Standard Equipment Optional Equipment

For more detailed information about cab and powertrain equipment, please refer to separate specification sheets.

For all possible options and combinations of options please consult your Volvo sales contact who can create a specification to match your requirements using the Volvo Sales Support system (VSS).

The factory reserves the right to modify design and change equipment without previous notification. The specification can vary from country to country.

MODEL RANGE

NEW FH Battery Electric 8x2 Rigid Pusher and Tag Tridem FH 82RPTE

Volvo Trucks. Driving Progress