



AURORA
LIGHTINGTOWERS

AURORA LIGHTING TOWERS
Brand of Green Power Systems srl
Loc. Maiano sn 61028
Sassocorvaro Auditore (PU)
Italia
MADE IN ITALY

P + 39 0722 726411
F + 39 0722 720092
W www.auroralightingtowers.it
E info@auroralightingtowers.it
W www.eptagruppo.com

SCHEDA TECNICA - TECHNICAL DATA SHEET - FICHE TECHNIQUE

KAPPA *series*



Multiled



5,5 mt. Max Height



Manual Lifting



350° Rotation



PRESTAZIONI – FEATURE – PERFORMANCE

Fari	Floodlights	Projecteurs	4 x 75W	4 x 160W
Area illuminata	Lighting area	Surface éclairée	1500 mq	2400 mq
Lumen	Lumen	Lumen	36900	81400
Tensione	Voltage	Voltage	230V	
Frequenza	Frequency	Fréquence	50Hz	
Temperatura di funzionamento	Operating temperature	Température de fonctionnement	-30°/ 50° C	
Consumo di energia	Energy consumption	Consommation d'énergie	0,64 KW	

PALO – MAST – MÂT

Altezza massima	Max height	Hauteur max	5,5 m
Sollevamento	Lifting	Levage	Manuale – Manual - Manuel
Sezioni del palo	Tower Section	Extensions	4
Rotazione	Turning angle	Rotation	350°
Resistenza massima al vento	Max wind rating	Résistance au vente	80 Km/h

CARRELLO – TRAILER – CHARIOT

Stabilizzatori manuali	Manual stabilizer	Stabilizateurs manuel	2
Ganci di sollevamento	Lifting points	Anneaux de levage	4
Dimensioni utili gruppo elettrogeno GREEN POWER fino a 6 KW	Space available for genset GREEN POWER until 6 KW	Dimensions disponible pour groupe electrogene GREEN POWER jusqu'à 6 KW	600x900 mm
Kit carrello	Handles and wheels	Chariot	STD


DIMENSIONI E PESO - DIMENSIONS AND WEIGHT - DIMENSIONS ET POIDS

Dimensioni min	Min dimension	Dimensions min	1189x841x2111 mm
Dimensioni max	Max dimension	Dimensions max	1614x1689x5500 mm
Peso	Weight	Poids	190 kg





DISEGNI - DRAWS - DESSINS



- Le specifiche tecniche sono soggette a variazioni senza preavviso
- The technical specifications are exposed to alterations without notice
- Nous nous réservons le droit de changer les spécifications techniques sans préavis